

INDEX MAPS.

T.13N R.6W 2nd Mer.

	249	249-247	247	247-248	246-248	246-248						
250	6	275	5	268	4	264	3	259	2	255	1	246
	274		274		268		263		259		255	
250	7	283	8	267	9	263	10	259	11	254	12	246
	273		273		267		263		258		253	
250	18	272	17	266	16	262	15	258	14	253	13	245
	272		271		266		262		257		253	
250	19	271	20	266	21	262	22	257	23	252	24	245
	270		270		265		261		256		252	
249	30	270	29	265	28	261	27	256	26	252	25	244
	269		269		264		260		256		251	
249	31	269	32	264	33	260	34	255	35	251	36	244
	244		244		243		243		243		243	

T.14N R.6W 2nd Mer.

	282-283		282-283		282-283		282-283		281-282		281-284	
286	6	308	5	302	4	298	3	294	2	290	1	281
	307		307		301		298		294		289	
286	7	307	8	301	9	297	10	293	11	289	12	281
	306		306		301		297		293		289	
285	18	306	17	300	16	296	15	292	14	288	13	280
	305		305		300		296		292		288	
285	19	305	20	300	21	296	22	292	23	288	24	280
	304		304		299		295		291		287	
285	30	304	29	299	28	295	27	291	26	287	25	280
	303		303		299		295		291		287	
284	31	302	32	298	33	294	34	290	35	286	36	280
	279		279	277-278	277-278	277-278	277-278	277-278	277-278	277-279		

The figures on the lines refer to the page.

Township N. 13. North of Range N. 6 West of the 2nd Mer. Sec. 36.

Ch. 1.

South Boundary

West On the South Boundary of sec. 36. T. 13. N. R. 6 W.
 25.00 To a Brook 20 links north corner S.E.
 40.00 Set a $\frac{1}{4}$ corner post from which
 Sugar 14 in diam. trees. S 31° 17' W. 12 links north; & a
 Birch 10 " " " N 35° E. 14 " "
 75.50 To a Brook 20 links north, corner S.
 80.00 Set a post for the cor of sec. 35 & 36. from which
 Birch 10 in diam. trees. S.E. & a
 Spruce " " " N.E. mark for bearing trees
 The above cor is in a Birch 50 links north, corner S.E.
 Good land; Timber Birch, Sugar & S.

West On the South Boundary of sec. 35 T. 13. N. R. 6 W.
 40.00 Set a $\frac{1}{4}$ corner post from which
 Sugar 18 in diam. trees N 11° 11' W. 18 links north; & a
 Birch 5 " " " S 46° E. 24 " "
 80.00 Set a post for the cor of sec. 34 & 35 from which
 Hickory 16 in diam. trees. N 57° W. 15 links north; & a
 Birch 10 " " " S 22° E. 11 " "
 Rich bottom land; Timber Birch, Sugar & Walnut.

West On the South Boundary of sec. 34 T. 13. N. R. 6 W.
 36.00 To a Brook 10 links north, corner S.E.
 40.00 Set a $\frac{1}{4}$ corner post from which
 Birch 12 in diam. trees. S 81° E. 12 links north; & a
 Elm 14 " " " N 73° W. 46 " "
 41.50 To a Brook 25 links north, corner S.E.
 80.00 Set a post for the cor of sec. 33 & 34 from which
 Oak 30 in diam. trees. S 55° E. 42 links north; & a
 Elm 14 " " " N 44° W. 26 " "
 Sand bar and wet; Timber Birch.

West On the South Boundary of sec. 33 T. 13. N. R. 6 W.
 40.00 Set a $\frac{1}{4}$ corner post from which
 Birch 12 in diam. trees. S 82° E. 38 links north; & a

T. N^o 13. N. R. N^o 6 T^h 2nd (M^o. Ind^o.)

80.00 Bush 16 in dia: beam. N 53 W. 12 links out;
 Set apart for the cor of cor. 32 & 33. From which
 Sugar. 6 in dia: beam. S 56 E. 29 links out; or
 Oak. 16 " " " N 56 W. 28 " "
 Not Bush Land.

West
 19. 00 On the South Boundary of cor. 32. T. 13. N. R. 6 T^h
 40.00 To a Post 8 links wide corner S.
 Set a 7th apart from which a
 Bush 16 in dia: beam. S 44 W 36 links out; or
 Do. 3 " " " N 45 E. 13 " "
 80.00 Set apart for the cor of cor. 31 & 32. From which
 Sugar. 18 in dia: beam. N 40 E. 26 links out; or
 Poplar. 48 " " " S 13 W 7 " "
 Not but Bush Land.

West
 40.00 On the South Boundary of cor. 36. T. 13. N. R. 6 T^h
 Set a 7th apart from which
 Sugar. 14 in dia: beam. N 47 E. 24 links out; or
 Hickory 14 " " " S 24 W 26 " "
 74.00 To the post cor of T. 12 & 13. N. R. 6 T^h 7 T^h

East Boundary

South
 35.50 On the East Boundary of cor. 36. T. 13. N. R. 6 T^h
 40.00 To a Post 12 links wide corner S. W.
 Set a 7th apart from which
 Oak 13 in dia: beam. S 2 E. 26 links out; or
 Do. 30 " " " N 2 W 31 " "
 76.00 To a Sugar. 18 in dia: beam in the line.
 78.00 " " Bush 10 links wide, corner S. W.
 80.00 Set apart for the cor of cor. 25 & 36. From which
 Bush 12 in dia: beam. S 40 E. 9 links out; or
 Hickory 14 " " " N 73 W 25 " "
 Good Bush Land.

North On the East Boundary of cor. 25. T. 13. N. R. 6 T^h

T. N. 13. N.R. 67 2nd (Mm. Sud.)

40.00	Set apart for the cor of sec. 24. T. 13. N.R. 67
	Beck. 12 in air: beam. N 35 W. 14 links each, & a
	Sugar. 12 " " " S 30 W 34 " "
46.00	Set apart for the cor of sec. 24. T. 13. N.R. 67
80.70	Beck. 9 in air: beam. S 14 W. 30 links each, & a
	Do. 10 " " " N 37 W. 26 " "
	Good land Beck land.
North	On the East Boundary of sec. 24. T. 13. N.R. 67
40.00	Set apart for the cor of sec. 24. T. 13. N.R. 67
	Beck. 6 in air: beam. S 6 W 29 links each, & a
	Do. 12 " " " North 17 " "
50.15.	Set apart for the cor of sec. 24. T. 13. N.R. 67
	Beck. 9 in air: beam. S 6 E. 18 links each, & a
	Do. 8 " " " S 50 W 26 " "
	Follow Shadow Ridge
	N. 63 30' Surveyed by Daniel Keotimus. Dd.
North	Return Sec. 19 & 24 T. 13. N.R. 67
29.85.	Set apart for the cor of sec. 13 & 24. T. 13. N.R. 67
	Beck. 10 in air: beam. N 85 E. 6 links each, & a
	Beck 9 " " " S 9 E 11 " "
	Good 2 nd class; Timber Beck, Oak, Sugar, Walnut.
	Good farming land.
North	Return Sec. 13 & 18 T. 13. N.R. 67 East side of 24
22.00	Set apart for the cor of sec. 13 & 18 T. 13. N.R. 67
40.00	Beck. 5 in air: beam. S 30 E. 32 links each, & a
	Sugar 9 " " " N 62 W 12 " "
60.00	Set apart for the cor of sec. 13 & 18 T. 13. N.R. 67
80.00	Beck. 5 in air: beam. S 30 E. 32 links each, & a
	Sugar 9 " " " N 62 W 12 " "

T. N^o 13. N.R. N^o 67 2nd Mer. Sud^r

Elm. 3 in diam. trees. S 87 N 3 links north; Va.
 Buck. 10 " " " South 18 " "
 Land rolling and soil good; maddling farming

North On the East Boundary of sec. 12 T. 13. N.R. 67
 40.00 Set a 1/4 section from which
 Buck. 12 in diam. trees. S 70 E 30 links north; Va.
 Sugar. 12 " " " S 81 N 31 " "
 80.00 Set a 1/4 section 36 in diam. stands for the cor of sec. 14
 Land same as last units.

North On the East Boundary of sec. 1. T. 13. N.R. 67.
 35.00 To Brook 6 links mid, corner N.
 40.00 Set a 1/4 section from which
 Buck. 9 in diam. trees S 78 E 9 links north; Va.
 B. Oak. 8 " " " S 67 N 20 " "
 80.00 Set a 1/4 section for the cor of T. 13 & 14. N.R. 5 & 6
 80.00 In Township corner.

North Boundary June 18. 1819
 West On a Random line On the South Boundary of sec. 36.
 T. 14. N.R. 67
 37.50 To Brook 10 links mid, corner S.
 40.00 Set a 1/4 section
 80.00 Set a 1/4 section for the cor of sec. 35 & 36. T.
 Land rolling and 2nd oak. Timber Buck, Sugar, Hick,
 Oak & s. maddling good farming land.

West On a Random line On the South Boundary of sec. 35.
 T. 14. N.R. 67
 40.50 To a Brook 12 links mid, corner S.
 40.00 Set a 1/4 section
 56.50 To a Brook. 15 links mid, corner S.
 80.00 Set a 1/4 section for the cor of sec. 35 & 34.
 Land rolling and good for farming; Timber same.

247

T. N. 13. N. R. N. 67. Quad. N. W. Ind.?

West On a Random line On the South Boundary of sec. 34.
T. 14. N. R. 67.

40.00 Set a temporary post.

80.00 Set a temporary post for the corner of sec. 33 & 34.
Land well and middling good for farming.
Timber (Oak Hickory) Beech, Sugar, & Poplar.

West On a Random line On the South Boundary of sec. 33.
T. 14. N. R. 67.

15.00 To a Brook 8 miles wide, corner S. W.

40.00 Set a temporary post.

60.00 To a Brook 12 miles wide, corner S. W.

77.00 " " " " " " " " S. W.

80.00 Set a temporary post for the corner of sec. 32 & 33.
Land rolling and 2nd rate good for farming.
Timber Same.

West On a Random line On the South Boundary of sec. 32.
T. 14. N. R. 67.

35.00 To a Brook 15 miles wide, corner S. W.

40.00 Set a temporary post.

48.27 Fell 603 miles North of the post on the Boundary
line between T. 13 & 14 Good for farming land.

East On a Random line On the South Boundary of sec. 32.
T. 14. N. R. 67.

8.27 Set the temporary post on the true line from which
Beck 30 in air line. N 76 E 25 miles north & a
log road 5 " " " " N 15 W 3 " "

48.27 Set the temporary post on the true line for the corner of sec. 32 & 33.
from which a N. Beck. 8 in air line. S 66 W 5 miles north;
under Sugar. 18 " " " " N 40 E 30 " "

East On a true line On the South Boundary of sec. 33.
T. 14. N. R. 67.

40.00 Set the temporary post on the true line from which

T. N. 13. N.R. N. 67. 2nd Mer. Ind.

	Sugar. 18 in diam. trees. S 46 N 27 looks north; Va, Ho. 15 " " North 41 " "
80.00	Set the trip 17 post on the true line for the cor of sw. 33 & 34 from which Sugar. 18 in diam. trees. N 57 N. 24 the north; under Poplar. 18 " " S 57 E 42 " "
East	On a true line On the South Corner N. of sw. 34 N 6° 30' T. 14. N.R. 67.
40.00	Set the trip 17 1/2 post on the true line from which Sugar. 10 in diam. trees. S 47 N. 22 looks north; Va, Oak. 18 " " N 89 E. 7 " "
80.00	Set the trip 17 post on the true line for the cor of sw. 34 & 35. from which Sugar. 14 in diam. trees. S 77 N. 25 the north; under Buck. 24 " " N 32 E 43 " "
East	On a true line On the South Corner N. of sw. 35. T. 14. N.R. 67.
40.00	Set the trip 17 1/2 post on the true line from which Buck. 18 in diam. trees. N 29 N. 24 looks north; Va, Buck. 30 " " S 36 N 18 " "
80.00	Set the trip 17 post on the true line for the cor of sw. 35 & 36. from which Walnut. 10 in diam. trees. S 27 N. 25 the north; under Buck. 15 " " N 53 N 27 " "
East	On the true line On the South Corner N. of sw. 36. T. 14. N.R. 67.
40.00	Set the trip 17 1/2 post on the true line from which Oak. 12 in diam. trees. N 82 N. 9 looks north; Va, Buck. 14 " " S 48 E. 7 " "
80.00	Set a post for the cor of T. 13 & 14 N.R. 5 & 6 N 200 looks south of the Trip 17 cor. from which Oak. 110 in diam. trees. N 79 E. 28 looks north; Va, Oak. 5 " " N E. 23 " "
	Surveyed by William Harris D.S.

T. N. 13. N. R. N. 6 W 2nd Mer. Ind.

East Between Sec 6 & 31 and on the South Boundary of T. 14. N. R. 6 W.

40.00 Set a 1/4 section from which

Back 14 in dir. line. N 87 W 11 links sub; & a

Lo. 10 " " " S 25 E 3 " "

70.00 To a point 8 links wide from N

80.00 Set a post for the cor of sec 31 & 32 from which

Back 5 in dir. line. N 34 W 11 links sub; & a

Lo. 8 " " " S 67 E 8 " "

Link into Back land.

East On the South Boundary of T. 13. N. R. 6 W

6.00 To a point 8 links wide from N

25.31 Set a post for the cor of sec 31 & 32 from which

Back 4 in dir. line. S 57 W 25 links sub; & a

Lo. 20 " " " N 17 W 2 " "

Surveyed by

Alexander Holmud D.S.

West Boundary.

North On the East Boundary of T. 13. N. R. 7 W.

40.00 Set a 1/4 section from which

Back 16 in dir. line. S 28 W 60 links sub; & a

Neatly 12 " " " N 50 E 14 " "

80.00 Set a post for the cor of sec 25 & 36 from which

Back 10 in dir. line. S 68 W 8 links sub; & a

Lo. 16 " " " N 68 E 13 " "

Set Back land.

North On the East Boundary of T. 25. N. R. 7 W

40.00 Set a 1/4 section from which

Back 15 in dir. line. S 57 W 24 links sub; & a

Lo. 13 " " " N 63 E 19 " "

80.00 Set a post for the cor of sec 24 & 25 from which

Back 26 in dir. line. S 20 W 25 links sub; & a

T. N^o 13. N.R. N^o 6 W. 2nd Mer. Ind?

Buck. 26 in dia: beam. N57E. 34 lbs net.
Good Buck land.

North On the East Boundary of Sw. 24. T. 13. N. 10. 7 W
8.50 To a Brook. 50 miles min. across S.W.
40.00 Set a 1/4 cap post from which
Buck. 4 in dia: beam. S47W. 5 miles dist; & a
Do. 4 " " " N60E. 10 " "
80.00 Set a post for the cor of Sw. 13 & 24 from which an
Oak. 12 in dia: beam. S22E. 27 miles dist; & a
W Oak 24 " " " N86W. 24 " "
Hilly Oak land.

North On the East Boundary of Sw. 13. T. 13. N. 10. 7 W
40.00 Set a 1/4 cap post from which
Oak 8 in dia: beam. S25E. 7 miles dist; & a
Buck. 12 " " " N67W. 20 " "
80.00 Set a post for the cor of Sw. 12 & 13 from which
Buck. 16 in dia: beam. S33W. 29 miles dist; & a
Do. 14 " " " N6W. 20 " "
Good Buck Land.

North On the East Boundary of Sw. 12. T. 13. N. 10. 7 W
40.00 Set a 1/4 cap post from which
Hickory 5 in dia: beam. S79E. 8 lbs net; & a
Buck. 6 " " " N79W. 20 " "
54.00 To a Brook 10 miles min. across S.W.
80.00 Set a post for the cor of Sw. 1 & 12 from which
Buck. 13 in dia: beam. N27W. 19 miles dist; & a
Do. 12 " " " S27E. 30 " "
Good mt Buck land.

North On the East Boundary of Sw. 1. T. 13. N. 10. 6 W
40.00 Set a 1/4 cap post from which
Buck. 11 in dia: beam. N63E. 20 miles dist; & a
W Oak 14 " " " S63W. 7 " "

T. N. 13. N. R. N. 67 W. Q. M. (M. S. S. S.)

- 54.00 To a Brook 10 m. mid. lower SW.
 77.34 Enter at the E & W line on N Boundary and set a
 post for the cor of T. 13 & 14 N. R. 6 & 7 W. from
 which Eugene is in dir. line. S 60 W 5 1/2 m. dist.
 upper Lo. 5 " " " " N 60 E 10 " "
 Land owner; Timber, Buck & Oak.

Surveyed by
 Abraham Holmsted Esq.

Subdivisions

- North Return Sec 35 & 36. T. 13. N. R. 67 W.
 32.00 To a Mark 12 in dist. in the line
 34.70 To a Lo. 36 " " " "
 40.00 Set a 1/4 section post from which
 Buck. 18 in dir. line. N 67 W 22 m. dist. S 2
 Lo. 14 " " " " S 33 E 36 " "
 44.30 To a Buck. 15 in dist. in the line.
 71.50 To a Brook 6 m. mid. lower SW
 80.00 Set a post for the cor of Sec. 25, 26, 35 & 36 from which
 Eugene is in dir. line S 55 E 11 m. dist. S 2
 Buck. 6 " " " " S 69 E 15 " "
 Land 1/2 m. less ground; 2nd 1/2 m. from Timber
 Buck. Oak &c. Undergrowth Spruce & Logans

- East On a Random line between Sec. 25 & 36. T. 13. N. R. 67 W.
 9.85 To a Log 20 in dist. in the line.
 16.80 " " Buck. 18 " " " "
 40.00 Set a temporary post
 66.40 To a Branch 8 m. mid. lower E. E.
 80.00 Enter at the East Boundary at the post cor of Sec. 25 & 36.

- West On the line between Sec. 25 & 36. T. 13. N. R. 67 W.
 40.00 Set the temporary post at the ar. dist. in the line
 from which Buck. 15 in dir. line. N 65 E 11 m. dist.
 and a Lo. 20 " " " " S 37 W 49 " "
 80.00 To the post cor of Sec. 25, 26, 35 & 36.

T. No 13 N.R. No 677 2nd. Mm. Ind.

Land wood Limbu Buck, Poplar & Sugar.
Undergth Maple & Spruce.

North Return Dec. 25 & 26. T. 13. N.R. 677
3.35 To a Buck 6 links into, across S.W.
40.00 Set a 1/2 in sap post from which
Sycam. 12 in diam. bears. N 59 E. 12 links dist.
Buck 14 " " West. 22 " "
45.75 To a W Oak. 30 in diam. stands in the river.
64.32 To a Poplar 20. in diam " " " "
80.00 Set a post for the cor of sec. 23, 24, 25 & 26 from which
Hickory 12 in diam. bears. N 73 W 13 links dist. & a
Buck. 10 " " S 65 E. 8 " "
Land wood Limbu Buck, Oak & Hickory
Undergth Spruce and Ash.

East On a Random line between Dec. 24 & 25 T. 13. N.R. 677
0.65 To a Buck. 12 in diam. in the river.
40.00 Set a trip 1/2 in sap post
70.00 To a Hickory 18 in diam. stands in the river.
79.87 Intersect the N 73 W line at the post cor of sec. 24 & 25.
The N 73 W line is the East Boundary of the Township.

West On the River line between Dec. 24 & 25 T. 13. N.R. 677
39.937 Set the trip 1/2 in sap post at the ar ditch on the River line.
From which, Buck. 12 in diam. bears. N 17 W 19 the dist.
and a Do. 12 " " S 5 E 47 " "
79.87 To the post cor of sec. 23, 24, 25 & 26.
Land wood Limbu Buck, Oak, Hickory, Undergth
Spruce and Ash. April 18 1814.

North Return Dec. 23 & 24 T. 13. N.R. 677
1.55 To a Poplar 18 in diam. in the river.
40.00 Set a 1/2 in sap post from which
Sycam. 14 in diam. bears. N 46 W. 7 the dist. & a
Sycam. 14 " " S 79 E. 26 " "

253

T. N. 13. N. R. No 671 Q. R. W. Ind.

40.50 To a Creek 20 links wide, corner S.W.
 57.65 " " Creek. 14 in. deep in the line.
 80.00 Set apart for the cor of sec. 13, 14, 23 & 24 from which
 Engon. 14 in deep bears S 77 E. 13 links north; & a
 Creek. 10 " " " N 87 W 33 "
 Land broken and soil good; Timber Beech, Sugar
 and Poplar, Undergrowth Beech & Spruce.

East Chatham line between Sec. 13 & 24 T. 13. N. R. 671
 16.05 To a Creek 20 links wide, corner S.W.
 40.47 Intersect the Indian Boundary or North Boundary of Har-
 rison's Purchase and set apart for the cor of sec. 13 & 24
 from which Creek. 12 in deep bears S 40 E. 18 links north
 and a Creek 24 " " " N 64 W 27 "
 Land broken Timber Beech, Oak &c. Undergrowth Spruce
 & Maple.

East From the last named post between Sec. 13 & 24
 19.42 To a Creek, 18 in deep in the line.
 39.00 Intersect the East Boundary of T. 13. N. R. 671 go the S.
 of the post cor of sec. 13 & 24 and set apart from which
 Creek. 9 in deep bears N 37 E. 27 links north; & a
 Apr 3 " " " S 37 W 25 "
 Land not and good for farming; Timber Beech
 & Oak, Hickory; Undergrowth Log wood & Spruce

North Between Sec. 13 & 14 T. 13. N. R. 671
 10.50 To a Creek. 15 in deep stands in the line.
 27.61 Intersect the Ind. Boundary or North Boundary of
 Harrison's Purchase and set apart for the cor of sec.
 13 & 14 from which a
 Creek 20 in deep bears S 80 W. 7 links north; & a
 Creek. 12 " " " S 72 E. 6 "
 Land broken Timber Beech, Engon &c. Undergrowth Beech &c.

North Between Sec. 13 & 14 T. 13. N. R. 671
 12.39 Set apart from which
 Creek. 20 in deep bears S 85 E. 15 links north; & a

J. N. B. N. N. 677 Dad. Mrs. Anna

Buck. 4 in deer: beam. \$1577.16 licks each; 1
 28.16 To a Buck. 9 in deer: stands in the line.
 30.11 To a Brook 50 licks midw, comes E. E.
 52.39 Set apart for the car of sw. 11.12 13 14 from which
 Buck. 12 in deer: beam. \$25 E. 28 licks each; 7 a,
 10.5 " " " \$777.12 " "
 Sand hills, underfoot Timber Buck, Sugar, Poplar,
 W Oak, Ash & W. Logwood.

Buck Return Dec. 12 & 13 J. N. B. N. 677
 43.00 To a Poplar. 48 in deer: in the line.
 23.30 To a Brook licks midw comes E. W.
 27.95 To gathering 3 licks midw, comes A. W.
 40.00 Set apart for the car of sw. 12 & 13 from which
 Hickory 18 in deer: beam. \$4 E. 18 licks each; 7 a,
 Buck. 4 " " " \$51 E. 20 " "
 59.50 To a Brook 6 licks midw, comes E. W.
 64.18 " " 10.5 " " " \$777.
 79.80 Set apart the East Brook 7 97 licks Smith of the post,
 car of sw. 12 & 13. and set apart for the car of sw. 12 & 13
 from which Sugar. 12 in deer: beam. \$45 E. 8 licks each;
 W Walnut 6 " " " \$777 32 " "
 Timber Buck, Oak & Hickory underfoot Logwood &
 Spruce. Sand bottom.

North Return Dec. 11 & 12 J. N. B. N. 677
 5.00 To a Brook 5 licks midw comes W.
 16.19 To a Sugar 30 in deer: in the line.
 40.00 Set apart for the car of sw. 12 & 13 from which
 Buck. 4 in deer: beam. \$377.15 licks each; 7 a,
 10.18 " " " \$62 E. 17 " "
 66.00 To a Sugar. 12 licks midw, in the line.
 80.00 Set apart for the car of sw. 12 & 13 from which
 Sycamore 5 in deer: beam. \$44 E. 46 licks each; 7 a,
 W Walnut. 9 " " " \$35 E. 40 " "
 Sand Rich Hills: Timber Sugar Poplar & Buck W Spruce.

255

T. N. 13. N. 15. N. 6 W. Quad. 11. Sec. 5.

East
16.90
40.00
Between Sec. 1 & 2 T. 13. N. 15. 6 W.
To a Buck. 24 in diam. in the line
Set a 7th support from which
Heads 18 in diam. from. S 15 W 10 lbs. arch; & a
Buck. 15 " " " N 20 W 20 " "
79.61 Intersect the East Boundary 12 links South of the post on
of sec. 1 & 2 from which and set a post at the intersection
in for the cor of sec. 1 & 2 from which
Poplar 48 in diam. from. S 77 W. 19 links arch; & a
Buck. 6 " " " N 11 W. 4 " "
Land here and inclined to north; Timber Poplar, Buck
Heads Oak &c. many the N. 15. 6 W.

North
12.58
40.00
Between Sec. 1 & 2 T. 13. N. 15. 6 W.
To a W. Walnut. in the line.
Set a 7th support from which
Buck. 12 in diam. from. S 16 W 35 lbs. arch; & a
Lynx. 10 " " " S 86 E 33 " "
54.82 To a Buck. 18 in diam. in the line.
79.49 " a Brook 6 links wide, corner S. W.
82.65 Intersect the N. Boundary 22 links West of the post on of
Sec. 35 & 36. T. 11. N. 15. 6 W. and set a post for the cor of
" 1 & 2 from which
W. Walnut 9 in diam. from. S 25 E. 27 links arch; & a
Buck. 15 " " " N 5 W. 13 " "
Land here and broken Timber Sugar, Buck, Poplar
& W. Oak, many the S. 15. 6 W.

North
3.26
27.70
40.00
Between Sec. 35 & 36 T. 13. N. 15. 6 W.
To a Poplar 60 in diam. in the line.
To a Brook 5 links wide, corner S. W.
Set a 7th support from which
Buck. 14 in diam. from. N 17 E. 11 lbs. arch; & a
Do. 6 " " " S 20 W. 40 " "
59.14 To a W. Oak. 30 in diam. in the line.
80.00 Set a post for the cor of sec. 26. 27. 34 & 35 from which

T. N. 13. N. R. N. 6 W 2nd M. Ind.

Beck. 12 in diam. trees. N 77 — 16 lts each; &
 Do. 18 " " " S 13 E 9 " "
 Sand broken Timber Sugar, Poplar, & W. Spruce.

East Cap Ransom line between Sec. 26 & 35. T. 13. N. R. 6 W
 5.00 To a Sugar. 14 in diam. in the line.
 40.00 Set a trap 7 ft apart
 40.90 To a brook 30 lts mid, corner S.E.
 67.60 To a Beck. 10 in diam. on the line.
 80.089 Set a trap on the N & S line on of sec. 25, 26. S 5 E 36.

West Cap Ransom line between Sec. 26 & 35. T. 13. N. R. 6 W
 40.04 Set a trap 7 ft apart at the ar. dia. on the line from
 which on Sec. 26 in diam. trees. S 5 E 20 lts each; &
 Do. 20 " " " N 87 W 33, "
 Sand broken Timber Beck, Sugar, & Poplar.

North Return. Sec. 26 & 27. T. 13. N. R. 6 W
 2.84 To a Spruce. Oak. 48 in diam. in the line.
 40.00 Set a 7 ft apart from which
 Poplar. 15 in diam. trees. S 21 W 21 lts each; &
 Beck. 12 " " " N 61 E 13 " "
 67.04 To a brook 4 lts mid, corner S.E.
 80.00 Set a trap for the corner of sec. 22, 23, 26, & 27 from which
 W Oak. 20 in diam. trees. S 21 W 18 lts each; &
 Beck. 8 " " " N 22 E 15 " "
 Sand R. h. h. h. last p. broken. Timber Beck, Sugar,
 and Poplar, W. Spruce.

East Cap Ransom line between Sec. 23 & 26. T. 13. N. R. 6 W
 0.37 To a Spruce. Oak. 40 in diam. in the line
 2.30 To a brook 5 lts mid, corner S.E.
 16.30 " " Brook 15 " " " N.E.
 24.63 To a Sugar. 15 in diam. stands in the line
 25.22 " " Brook 20 lts mid, corner S.E.
 34.50 " " Do. 20 " " " " "

T. No 13. N.R. No 6 W 2nd Mer. Ind.

West On the same line between Sec 14 & 23. T. 13. N.R. 6 W
 40.00 Set the trap, 7th in support at the ar ditch on the line from
 which Reck. 10 in diam: trees. S 4 E. 9 the ditch; & a
 13 Gum. 12 " " " N 15 W 21 " "
 80.00 Set a post on of lat. 14 15, 22 & 23.
 Land very broken; dirt good; Timber Reck, Sugar,
 & Poplar; Under 5th Spruce April. 19. 1844.
 Rain on the 20th April 1844.

North Between Sec 14 & 15 T. 13. N.R. 6 W
 4.50 To a Poplar. 30 in diam: in the river.
 20.35 To a Creek. 25 miles wide, leaves S.E.
 40.00 Set a 7th in support from which
 Reck. 8 in diam: trees. S 23 W. 19 miles ditch; & a
 Sugar — " " " N 10 E 20 " "
 43.58 To a sugar 10 in diam: in the river.
 49.00 To a Creek 20 miles wide, leaves S.E.
 80.00 Set a post for the cr. of Sec. 10. 11. 14 & 15. from which
 Reck. 20 in diam: trees. S 56 E. 14 miles ditch; & a
 120. 10 " " " S 41 W. 27 " "
 Land with Timber Reck, Sugar, Poplar, & 18 Spruce.

East Between Sec 11 & 14 T. 13. N.R. 6 W
 12.80 Intersect the Indian Boundary and set a post for the cr.
 of Sec. 11 & 14. from which
 Reck. 14 in diam: trees. S 40 W. 10 the ditch; & a
 Poplar. 20 " " " N 55 W. 26 " "
 West Between Sec 11 & 14. T. 13. N.R. 6 W. Random line.
 12.00 To a Brook 50 miles wide, leaves S.E.
 40.00 Set a trap, 7th in support.
 67.00 Intersect the Old Indian Boundary 277 miles north of
 Post in line of Sec 11 & 14.

East On the same line between Sec 11 & 14 T. 13. N.R. 6 W
 39.90 Set the trap, 7th in support at the ar ditch on the line from
 which Reck. 20 in diam: trees. N 20 E. 27 the ditch; & a

T. N.º 13. A. R. N.º 670^{na} Mr. Ind.º

Horreum 3 inches diam. from 9479, 12 lbs. each.

North Return Dec 10 & 11. T 13.4 R. N^o 6 W
9.80 Interest the Union Bond at a rate of 4% for the
of Dec 10 & 11. from which

9268.10 in deep lens. 9577.15 links rich; Sn,
 No. 4 " " " 9168.14 " "

Arr. Between Sat. 10. & 11. J. 13. 174. 6 W Friday Oct. 12th 1819.
 18.20 To a Bank. 98 mi near. It runs in the river.

30.20 Set a $\frac{1}{4}$ inch apart from which

Bush. 15 in. det. lvs. N 45 E. 13 mts. high, on
Red Oak. 24 " " West 21 "

45.27 To a Bush. 12 in alt. in the Min.

70.20 Let a part for the car of no. 2, 3, 10 & 11 from which

Buch. 12 in aut. verna N 25 E. 18 kmr. sch; 7a
 Dapn. 4 " " " 648 E. 18 " "

Land best on a good for farming Timber Birch, Sugar,
Oak, Poplar, &c. No Dogwood.

West Can Random into between Sep 2011. I.B. 119.677.

1.00 To a Brook. 40 mms mid, lower G.V.

17.17 To a No. 35 " " " S.E.

4000 Get a temp. in a prob.

80.00 Inter lat the N^o 3 line 183 miles North of the port of
Dec 2, 3, 10, & 11.

Land good for farming; Timber Buck, Poplar, Ash,
Oak, &c. W. L. Longmire & Co.

East ^{Palmer} ~~Anderson~~ mi between Sec 2 & 11. T. 18 N. R. 6 W

40.00 Set the trap(?) 1/2 a foot or the as much with the Iron line
from which Buck. 12 in dist. hrs. N 70 E. 10 the next.
and a Head 20 " " " N 64 W. 26 " "

80.00 To the post cn of Sw. 1, 2, 11. & 12

Amth Return Cul. 2+3. J. B. A. 6. W

23.11 Is a Poplar 30 m. diam. in the line

T. N^o. 13. N.R. N^o. 677 2nd Mer. Indⁿ.

40.00 Set a $\frac{1}{4}$ eapost from which
 Buck. 15 in air: turn. N 84 E 9 hrs. out; Va. ..
 Do. 18 " " " S 35 W. 20 " "
 52.37 To a Meik 24 in air: in the line.
 84.51. Intersect the N.B. line 115 miles East of the first cr of
 Sec. 34 & 35. T. 14 N.R. N^o. 677 and set a post for the cr of
 " 2 & 3. from which
 Sugar. 8 in air: turn. N 46 E. 14 hrs. out; Va.
 Do. 9 " " " S 30 W. 20 " "
 Good land and good for farming Intersect Buck, Sugar, & 3

North Between Sec. 33 & 34. T. 13. N.R. 677
 4.70 To a Meik 18 in air: in the line.
 19.40 To a Brook 10 miles, corner S.E.
 40.00 Set a $\frac{1}{4}$ eapost from which
 Sp. Oak. 40 in air: turn. N 40 E. 21 hrs. out; Va.
 Buck. 10 " " " S 47 W. 11 " "
 40.68 To a Brook. 6 miles, corner S.W.
 54.75. " " Do. 6 " " " S.W.
 62.50 To a Buck. 14 in air: in the line.
 80.00 Set a post for the cr of cor. 27. 28. 33 & 34 from which
 Sugar. 8 in air: turn. S 68 W. 12 hrs. out; Va.
 W Oak. 10 " " " S 58 E. 15 " "
 Land broken, soil good; Intersect Buck, Sugar, Oak,
 among the Spruce.

East On a Random line between Sec. 27. & 34. T. 13. N.R. 677
 40.00 Set a temp. $\frac{1}{4}$ eapost
 40.50 To a Spar. Oak. 28 in air: in the line.
 65.45 " " W Oak 30 " " " "
 79.07 To a Buck. 12 in air: in the line.
 79.87 Intersect the N.B. line 20 miles South of the first cr of cor.
 26. 27. 34 & 35.

West On the true line, between Sec. 27. & 34. T. 13. N.R. 677
 39.93 $\frac{1}{2}$ Set the temp. $\frac{1}{4}$ eapost at the cr. out on the true line from

T. N. 43. N. R. No. 677 2nd Mm. Ind.

whisker Buck 14 in air: from 2677.23 units north; 7a,
No. 15 " " " N20 E. 3 " "
79.87 To the first cr of ear 27.28 33 & 34
Land work; bird good Timber Buck, Sugar, Poplar,
Hick & 1/2 Unangst Spruce & Dogwood.

North Between ear 27 & 28. T. 13. N. R. 677.
0.45 To a Sugar 14 in air: in the line.
12.95 " " Spr. Oak. No. 4 " " " "
26.15 " " " No. 40 " " " "
40.00 Set a trap in suspect from which
Buck 14 in air: from N74 W. 20 units north; 7a,
Sugar. 8 " " " N79 E. 18 " "
46.37 To a Buck 10 in air: in the line.
61.90 To a W Oak. 24 " " " "
80.00 Set a post for the cr of ear 21.22 27 & 28 from which
Buck 15 in air: from N27 E. 13 units north; 7a,
No. 18 " " " S63 W. 26 " "
Land work and bird good Timber Buck, Oak & Poplar.
Unangst Spruce.

East On a Roman line between ear 22 & 27 T. 13. N. R. 677
1.45 To a Buck 10 in air: in the line.
40.00 Set a trap in suspect.
40.60 To a W Oak. 18 in air: in the line.
80.00 Enter out the N & S line 15 units South of the post cr of ear
22, 23, 26 & 27.

West On the line between ear 22 & 27 T. 13. N. R. 677
40.00 Set the trap in suspect at the cr which in the line from
whisker W Oak 36 in air: from S55 W. 30 units north; 7a,
Buck 10 " " " N80 E. 22 " "
80.00 To the post cr of ear 21.22, 27 & 28.
Land work Timber Buck & W Oak & Poplar M. H. Karp
Spruce.

I. N^o 13. N. N. N^o 6 W 2nd Mer. Ind:

North	Between Dec 21 & 22 I. 13. N. N. 6 W
38.70	To a Heik 14 in air in the river.
40.00	Set a 1/2 report from which,
	Beck. 14 in air: beam. 50 W. 22 links each; 24
	W Oak. 40 " " " 20 E. 6 " "
40.06	To a W Oak. 40 in air: in the river.
80.00	Set a post for the car of Dec. 15, 16, 21 & 22 from which,
	W Oak. 10 in air: beam. 57 W 31 the each; 24,
	Subs. 12 " " " 147 E. 26 " "
	Found both Timber Oak, Heik, & Beck: W 8 Spine.
<hr/>	
East	On a main line between Dec 15 & 22 I. 13. N. N. 6 W
4.15.	To a W Oak. 36 in air: in the river.
34.32	To " Heik 20 " " " " "
40.00	Set a trumpet 1/2 report
49.12	To a Beck. 10 in air: in the river.
86.12	Enter at the N & S line car of Dec. 14, 15, 22 & 23.
<hr/>	
West	On the same line between Dec 15 & 22 I. 13. N. N. 6 W
40.06.	Set the trumpet 1/2 report at the car each in the river from
	which Beck. 20 in air: beam. 24 E. 7 the each; 24,
	Dec. 18 " " " 166 W 9 " "
80.00	To the post car of Dec. 15 16, 21 & 22.
	Found both Timber Oak, Beck & 2. Underneath Spine.
<hr/>	
North	Between Dec 15 & 16 I. 13. N. N. 6 W.
14.60	To a W Oak. 18 in air: at an as in the river.
40.00	Set a 1/2 report from which,
	W Oak. 16 in air: beam. 78 E. 24 links each; 24,
	Dec. 6 " " " 158 W 9 " "
64.10	To a Beck. 14 in air: in the river
80.00	Set a post for the car of Dec. 9 10, 15 & 16 from which,
	Heik 12 in air: beam. 19 W. 22 the each; 24,
	Elm. — " " " 1 E. 18 " "
	Found both and not; Timber Oak Beck & Heik
	Underneath Spine & beam.

J. N. 13. N. R. N. 677 Dnd. Mm. Ind.

East On a Kanam line between Dec. 10 & 15 J. 13. N. R. 677.
 36.58 To a Buck. 14 in air: stands in the line.
 40.00 Set a trap 17 1/2 in feet.
 58.55 To a Brook. 15 links wide, corner S.E.
 80.00 Enter east the N. R. line at the foot of of cut 10 11 14 & 15.

West On the line between Dec. 10 & 15 J. 13. N. R. 677.
 40.00 Set the trap 17 1/2 in feet at the air with the line from
 which a Buck. 10 in air: line. N. 11 & 14 links wide; S.E.
 W Oak. 24 " " " " S.E. 14 " "
 Land work and soil: Timber Oak, Buck, Hickory,
 Undergrowth Brins & Spruce.

North Between Dec. 9 & 10 J. 13. N. R. 677.
 40.00 Set a trap 17 1/2 in feet from which
 a Buck. 14 in air: line. N. 14 & 13 links wide; S.E.
 L.O. 12 " " " " S.E. 13 " "
 56.54 To a log. 14 in air: with the line.
 69.11 Enter east the Old Indian Road and set a post for the
 of cut 9 & 10. From which
 Oak. 18 in air: line. N. 5 & 14 links wide; S.E.
 Oak. 16 " " " " S.E. 13 " "
 Land work and soil: Timber Oak, Elm, & Hickory
 Undergrowth Brins and Spruce. April 21. 1884.

North Between Dec. 9 & 10 J. 13. N. R. 677.
 11.89 Set a post for the cut of cut 3 & 4. 9 & 10 from which
 Hickory 6 in air: line. N. 75 & 12 links wide; S.E.
 a Buck. 15 " " " " N. 5 & 21 " "
 Land work and soil: Timber Oak, Hickory & Oak, S.E.
 Undergrowth Oak, S.E.

West On a Kanam line between Dec. 3 & 10 J. 13. N. R. 677.
 40.00 Set a trap 17 1/2 in feet.
 80.46 Enter east the N. R. line 17 1/2 links South of the foot of of cut 3.
 4. 9 & 10 - Land good for farming Timber Poplar, Buck,
 W Oak, & Hickory; W Spruce & Logwood

T. N^o 13. N. R. N^o 6 W. 2nd Mer. Sud^a.

East On the line between Sec. 3 & 10 T. 13. N. R. 6 W.
 40.23 Set the trip. 7th 2nd post at the cr. ch. in the line from
 which a Buck. 18 in diam. trees. N 78 W. 4 limbs with; & a
 Hickory — " " " 978 E. 8 " "
 80.46 Set the post on of sec. 2, 3, 10, & 11.

North Between Sec. 3 & 11 T. 13. N. R. 6 W.
 20.65 To a W Oak 36 in diam. in the line.
 40.00 Set a 7th 2nd post from which,
 W Oak 36 in diam. trees. N 87 W. 14 limbs with; & a,
 Poplar. 18 " " " 978 E. 17 " "
 56.07 To a Buck. 12 in diam. in the line.
 83.48 Intersit the N. R. N^o 6 W. at the post on of sec. 33 & 34 T.
 14. N. R. 6 W.
 Land best and good for farming; 2nd rate. Timber Buck
 Poplar, Ash, W Oak, Hickory & W Spruce.
 Thursday, Sept. 19th 1819.

North Between Sec. 32 & 33 T. 13. N. R. 6 W.
 5.37 To a Hickory 15 in diam. It stands in the line.
 35.30 To a Spruce Oak 40 " " " " "
 40.00 Set a 7th 2nd post from which,
 Sp. Oak. 20 in diam. trees. S 63 E. 11 limbs with; & a
 Do. 36 " " " " N 80 W. 14 " "
 49.62 To a Buck. 4 limbs with, leaves S. E.
 71.60 To " Do. 8 " " " " "
 76.60 " Same. 8 " " " " "
 80.00 Set a post for the cr. of sec. 28 & 29, 32 & 33 from which,
 Buck. 18 in diam. trees. N 48 W. 8 limbs with; & a,
 Spruce 6 " " " 948 E. 14 " "
 Land best Timber Buck, Sugar & Poplar. W Spruce.

East On the line between Sec. 28 & 33 T. 13. N. R. 6 W.
 30.67 To a W Oak 36 in diam. in the line.
 40.00 Set a trip. 7th 2nd post.
 69.15 To a Poplar. 50 in diam. in the line.

I N^o 13 N.R. N^o 6 W 2nd (Mm. Indⁿ)

80.00 Intercept the N 13 line at the foot cr of ew. 27.28.33 & 34

West On the line between Sec. 28 & 33. I. 13. N.R. 6 W.

40.00 Set the trumpet in a post at the ar ditch on the line
from which, Buck. 10 in air: from. 90 E. 25 the met:
and a Do 10 " " " N 72 W. 14 " "

80.00 To the foot cr of ew. 28.29.32 & 35.

Sound hole: Timber Buck Oak, Heiter N. 8 Spin.

North Return Sec. 28 & 29. I. 13. N.R. N^o 6 W

10.80 To a Brook 10 hrs mid., corner I. W.

14.00 " Same Do. 10 " " " S.E.

24.61 To a Buck. 18 hr air: in the line.

36.50 " " Sp. Oak 48 " " " "

40.00 Set a in a post from which a

Oak 36 in air: from. 97 W. 39 hrs mid.; to,

W Oak " " " N 33 E 45 " "

60.75 To a Brook 6 hrs mid., corner I. W.

63.40 " Same Do. 6 " " " N.W.

64.00 To a Buck. 10 in air: in the line.

64.40 " " Brook. 6 hrs mid., corner S.E.

70.00 " Same 6 " " " I. W.

72.00 " Do 6 " " " S.E.

80.00 Set a post for the cr of ew. 20.21.28 & 29. from which

Buck. 8 in air: from. 92 E. 26 hrs mid.; to,

Do. 14 " " " N 32 W. 25 " "

Sound broken Timber Buck Oak & Heiter (N) Spin.

East On a Random line between Sec. 21 & 28 I. 13. N.R. 6 W.

7.05 To a W Oak. 40 hr air: in the line.

40.00 Set a trumpet in a post

43.38 To a Heiter 8 in air: in the line.

63.96 To a W Oak 36 " " " "

80.00 Intercept the N 13 line. cr of ew. 21.22.27 & 28.

West On the line between Sec. 21 & 28 I. 13. N.R. 6 W

J. N. 13. N. R. N. 677 2nd (Mr. And.)

West On the same line between Dec. 21. & 28 J. 13. N. R. 677
 40.00 Set a trap in aspect at the ar. side on the same line from
 which a Hickory 6 in air. trees. N 60 W. 10 lbs. nuts; & a
 Oak. 6 " " " 83 E. 15 " "
 80.00 To the post on of Dec. 20. 21. 28 & 29.
 Sand bar. Timber Oak, Hickory, N 60 W.

North Return Dec. 20 & 21. J. 13. N. R. 677
 1.00 To a Poplar 30 in air. in the line.
 40.00 Set a trap in aspect from which a
 Oak. 40 in air. trees. S 8 E. 19 lbs. nuts; & a
 Birch. 14 " " " N 65 W. 16 " "
 41.85 To a Gum. 20 in air. in the line.
 80.00 Set a post for the end of Dec. 16. 17. 20 & 21 from which
 Gum. 24 in air. trees. S 80 E. 16 lbs. nuts; & a
 Oak. 6 " " " N 56 W. 17 " "
 Sand bar and nut; Timber Oak, Hickory & Gum. Birch
 Oak, & Undergrowth Spruce.

East On the same line between Dec. 16 & 21. J. 13. N. R. 677.
 22.15 To a Poplar 30 in air. in the line.
 40.00 Set a trap in aspect.
 44.60 To a Oak. 18 in air. in the line.
 80.00 Set a post at the N 65 line at the end of Dec. 15. 16. 21 & 22

West On the same line between Dec. 16 & 21. J. 13. N. R. 677.
 40.00 Set the trap in aspect at the ar. side on the same line from.
 which a Oak. 10 in air. trees. N 61 E. 18 lbs. nuts; & a
 Oak. 14 " " " S 79 W. 21 " "
 80.00 To the post on of Dec. 16. 17. 20 & 21.
 Sand bar and nut; Timber Oak, Hickory, Gum. & Birch,
 Elm & Maple. 18 Brins & Spruce.

North Return Dec. 16 & 17. J. 13. N. R. N. 677
 1.65 N Oak. 30 in air. in the line.
 40.00 Set a trap in aspect from which a

T. N. 13. N. R. N. 6 W 2nd M. Ind.

	Sugar. 12 in air: turns. N35 E. 10 turns north; & a
	Back. 20 " " " S23 W. 49 " "
42.45	Set a post for the cor. of lws. 8. 9. 16 & 17 from which,
42.45	To a Back. 20 in air: in the line.
80.00	Set a post for the cor. of lws. 8. 9. 16 & 17 from which,
	W. Oak. 8 in air: turns. S22 E. 4 turns north; & a,
	Heiky 20 " " " N41 W. 51 " "
	Found level and mt; Timber Oak, Heiky and Back,
	under 4 th Brins & Spruce.
<hr/>	
East	On a narrow line between Sec. 9 & 16. T. 13. N. R. 6 W
43.10	To an Oak. 10 in air: in the line.
40.00	Set a temp. in east post.
80.00	Intersect the N & S line 10 turns south of the post on off lws.
	9. 10. 15 & 16.
<hr/>	
West	On the Iron line between Sec. 9 & 16. T. 13. N. R. 6 W
40.00	Set the temp. in east post at the ar. oak on the line from
	which Heiky 20 in air: turns. N13 E. 29 (4 th turn); & a,
	He. 12 " " " S68 E. 23 " "
80.00	To the post on off lws. 8. 9. 16 & 17.
	Found level and mt; Timber Oak, Heiky, Gum, & Maple
	Mon. or 4 th Brins Gum & Maple.
<hr/>	
North	Between Sec. 8 & 9 T. 13. N. R. 6 W
2.60	To a maple. 20 in air: in the line.
40.00	Set a post for the cor. of lws. 4. 5. 8 & 9 from which,
	Sugar. 8 in air: turns. N53 E. 27 turns north; & a,
	Chm. 10 " " " N57 W. 18 " "
45.00	To a Brook. 15 turns north, between N. R.
45.70	" " Same. 15 " " " N.
46.50	" " Same. 15 " " " N.
80.00	Set a post for the cor. of lws. 4. 5. 8 & 9 from which,
	Back. 15 in air: turns. S54 E. 19 turns north; & a,
	Heiky 14 " " " N82 W. 26 " "
	Found level Timber Oak, Back, Heiky & 4 th Brins

I. N^o 13. A.R. N^o 67 2nd M^o. Ind^a.

East Between Sec. 4 & 9 T. 13. N.R. 67.
 35.00 To a Buck. 18 in dia. in the line.
 40.00 Set a 1st sap post from which
 Buck. 18 in dia. bears. S 62 W. 18 lbs. with; & a,
 Do. 18, " " N 69 E. 46, " "
 64.14 Intersect the Indian Brm. N. 7 and set a post for the
 cor of sec. 4 & 9 from which
 Hick 18 in dia. bears. N 25 E. 18 lbs. with; & a,
 W Oak. 5 " " N 63 W. 22, " "
 Good wood Timber Buck, Oak & Lym. W. Spr. & Brins.

West On a Run down line between Sec. 4 & 9 T. 13. N.R. 67.
 15.30 Intersect the Indian Brm. N. 7 50 the North of the post
 in the line between Sec. 4 & 9. in old Brm. N. 7

East On the line between Sec. 4 & 9 T. 13. N.R. 67
 15.30 To the post cor of sec. 3, 4, 9 & 10.

North Between Sec. 4 & 5 T. 13. N.R. 67
 10.15 To a Poplar. 24 in dia. in the line.
 40.00 Set a 1st sap post from which
 Sugar. 14 in dia. bears. S 47 W. 9 lbs. with; & a,
 Buck. 10 " " N 44 E. 13, " "
 47.00 Intersect the Old Indian Brm. N. 7 and set a post for the
 cor of sec. 4 & 5 from which
 Sugar. 14 in dia. bears. N 64 W. 6 lbs. with; & a,
 Buck. 24 " " S 67 W. 20, " "
 Good wood Timber Oak, Sugar & Buck. W. Spr. & Brins

North Between Sec. 4 & 5. T. 13. N.R. 67. Thursday Sept. 30. 1819
 4.45 To a Hickory - in dia. in the line.
 36.75 Intersect the N Brm. N. 7 130 the East of the post cor of
 Sec. 32 & 33. T. 14. N.R. 67 and set a post for the cor. of
 Sec. 4 & 5 from which
 Buck. 4 in dia. bears. S 77 W. 35 lbs. with; & a,
 Red Oak 5 " " S 75 E. 40, " "
 Good wood and good for farming Timber Hickory Buck & Meads,

J. N. 13. N. R. No 671 2nd Mm. Ind.

30 & 31 from which,
 Hickory 12 in diam. from S 50 E. 18 the arch; & a
 Oak. 10 " " " N 60 W. 28 " "
 Sand from and out; Timber Oak, Hickory, Elm Maple
 Ash, Gum. & W. Spruce, & Maple.

North Between Sec. 29 & 30 J. 13. N. R. 671.
 25.50 To a Quak. 24 in diam. in the river.
 36.95 To a Birch. 6 links in diam., corner N.
 40.00 Set a 7th sap post from which,
 Quak. 12 in diam. from S 6 E. 21 the arch; & a
 Logwood 5 " " " N 10 W. 11 " "
 45.85 To a Hickory 14 in diam. in the river.
 58.60 " " Do. 24 " " " " "
 80.00 Set a post for the corner of sec. 19, 20, 29 & 30 from which,
 Quak. 12 in diam. from N 61 W. 12 the arch; & a
 Sp. Oak. 24 " " " S 4 E. 13 " "
 Sand from Timber Quak. Oak. & Poplar.

East On a narrow line between Sec. 20 & 29 J. 13. N. R. 671.
 6.70 To a Maple. 12 in diam. in the river.
 40.00 Set a tree post 7th sap post
 76.50 To a Birch. 6 links in diam., corner S. E.
 80.36 Set a post on the N & S line to the south of the post corner of sec. 20, 21,
 28 & 29.

West On the same line between Sec. 20 & 29 J. 13. N. R. 671.
 40.18 Set the temporary 7th sap post at the arch in the river from
 which Quak. 18 in diam. from N 55 W. 18 the arch; & a
 Do. 10 " " " S 86 E. 29 " "
 80.36 To the post corner of sec. 19, 20, 29 & 30.

West Between Sec. 19 & 30, J. 13. N. R. 671
 1.75 To a Quak. 14 in diam. stands in the river.
 3.75 " " Oak. 36 " " " " "
 25.50 " " Do. 40 " " " " "

271

T. N. 13. N. W. N. 8. N. 2nd. Mrs. Ind.:

37.50 To a Brook. 12 lbs mds. Lumber N. W. Quantities of
 40.00 Set a 7th aspect from which
 Buck. 24 in air: bears S38 E. 33 the mch; & a,
 L. 12 " " " N30 E. 16 " "
 66.70 To a Sym. 18 in air: with the mds.
 72.45 Intersect the West Branch at 42 miles South of the first on off ear
 24825. T. 13. N. 14. 7 W. as a lot apart for the on off ear: 19 530
 from which Poplar. 46 in air: bears. S36 E. 39 the mch; & a,
 W Oak. 30 " " " N30 W. 19 " "
 Land best sub goods Lumber Buck, Oak, Buck, Poplar,
 on as Sugar. Undergrowth: Spice & Maple.

North Between Sur. 19020. T. 13. N. 14. 6 W.
 10.50 To a Buck. 05 in air: in the mds.
 12.60 " " Brook. 6 lbs mds. Lumber N. W.
 15.70 To a B. Oak. 18 in air: in the mds.
 26.80 To a Branch. 6 lbs mch; & Lumber N. W.
 40.00 Set a 7th aspect from which
 Buck. 14 in air: bears. S27 W. 44 the mch; & a,
 L. 18 " " " N35 W. 59 " "
 42.25 To a W Oak. 24 in air: with the mds.
 52.25 " " L. 30 " " " " "
 80.00 Set a post for the on off ear: 17.18.19 520 from which,
 Buck. 12 in air: bears. N18 E. 9 the mch; & a,
 W Oak. 24 " " " N70 W. 30 " "
 Lumber broken, sub goods on the spot 2nd 7th mds; Lumber
 Buck. Oak & Poplar. 118 Species on as seed a from.

East On a Random line between Sur. 17. 520 T. 13. N. 14. 6 W.
 9.75 To a Poplar. 18 in air: stands in the mds.
 27.30 To a W Oak. 24 " " " " " "
 40.00 Set a time 7th aspect. April 21. 1814
 57.22 To a W Oak. 12 in air: in the mds.
 65.80 To a Sym. 30 in air: with the mds.
 80.20 Intersect the N. 13. W. at the first on off ear: 16. 17. 20 521.

J. No 13. N. R. No 6 W 2nd Mer. Ind.

West On the same line between Sec 17 & 20 T. 13. N. R. 6 W.
 40.10 Set the trap 1/2 m support at the air duct in the line from
 which a N Oak. 24 in air: time. N 41 W. 13 the dist;
 and a Buck. 16 " " " 45 W. 36 " "
 80.20 To support on Sec 17 18-19 & 20. April 21. 1814
 Land tree Timber Oak, Poplar, Buck, Hickory
 Old Spruce.

West Between Sec 18 & 19. T. 13. N. R. 6 W.
 15.15 To a Buck. 18 in air: in the line.
 37.75 To a spruce. 40 limbs dist; above Sec 17.
 40.00 Set a 1/2 support from which,
 Buck. 19 in air: time. S 78 E. 20 the dist; & a
 Do. 14 " " " S 58 W. 25 " "
 57.95 To a Buck. 20 in air: in the line.
 73.00 Set out the West Branch of 60 limbs South of the first c. off.
 the first c. off. Sec 13 & 24 T. 13. N. R. 7 W. and set a post for the
 c. off. Sec 18 & 19 from which
 Spruce. 24 in air: time. N 83 E. 20 the dist; & a
 N Oak. 36 " " " S 76 W. 33 " "
 Land. Broken; Timber Buck, Oak, Poplar, Hickory &
 Manly Spruce.

North Between Sec 17 & 18 T. 13. N. R. 6 W.
 9.12 To a Hickory 24 in air: in the line.
 30.70 To a Poplar 36 " " " "
 40.00 Set a 1/2 support from which,
 Buck. 24 in air: time. S 6 W. 23 the dist; & a
 Do. 4 " " " N 57 E. 22 " "
 49.00 To a Walnut 24 in air: in the line.
 50.10 To a spruce. 20 the near, above Sec 17.
 54.00 " Spruce Do. 20 " " " S E.
 58.50 " " " 20 " " " S W.
 80.00 Set a post for the c. off. Sec 17, 18 & 19 from which,
 Buck. 18 in air: time. S 21 W. 21 the dist; & a
 Do. 12 " " " N 25 E. 56 " "

J. N. 13. N. R. N. 671 Dard Mm. Ind:

Land broken soil good; Timber Buck, Sugar, Poplar, Oak,
 Hickory. W. S. Pine.

East.	On a Random line between Sec. 8 & 17. T. 13. N. R. 671.	
13.20	To a stake 20 rods north, corner T. 13.	
20.20	To a W Oak 15 in diam in the line.	
40.00	Set a timber 17 in diameter.	
44.60	To a W Oak 40 in diam in the line.	
80.30	Intersect the N. 13 line at the post corner of Sec. 8. 9. 16. 17.	
West	On the same line between Sec. 8 & 17. T. 13. N. R. 671.	
40.15	Set the timber 17 in diameter at the corner in the line from which, Buck. 14 in diam runs S. 71° W. 15 the north, & a, No. 12, " " " N. 38° E. 26 " "	
80.30	To the post corner Sec. 7. 8. 17. & 18. Land broken, soil good; Timber Buck, Sugar, Poplar; Land 2 nd 1/2 rods Timber Buck, Oak, & W. S. Pine & Maple.	
West	Between Sec. 7 & 18 T. 13. N. R. 671.	
5.70	To a Buck. 12 in diam in the line.	
8.75	To a W Oak 18 " " " "	
27.70	To a W Oak 36 " " " "	
40.00	Set a 1/4 corner from which, Buck. 14 in diam runs N. 57° E. 5 the north, & a, Sugar. 18 " " " S. 17° E. 15 " "	
73.54	Intersect the West Branch of the road at a post for the corner Sec. 7. 18. from which, Buck. 14 in diam runs S. 27° W. 46 the north, & a, Hickory 18 " " " N. 12° E. 15 " " Land broken; Timber Buck, Oak & Hickory. W. S. Pine Ash & Sycamore; &.	
North	Between Sec. 7 & 18 T. 13. N. R. 671	
75.50	To a Buck. 15 in diam. It runs in the line.	
16.70	To a W Oak 18 in diam. " " " "	

T. N. 13. N. R. N. 6 N 3rd Mer. Ind.

34.06 To a Hickory 24 in diam in the line.
 40.00 Set a 7th sap post from which a
 Beech. 12 in diam. bears N 46 E. 15 the arch; & a
 Gum. 4 " " " S 38 W. 10 " "
 60.90 To a Hickory 24 in diam. stands in the line.
 80.00 Set a post for the cor of cor 5, 6, 7, & 8 from which a
 Hickory 12 in diam. bears S 44 W 13 the arch; & a
 Beech. 14 " " " N 12 E. 30 " "
 Sand barbed Irons Hickory Beech & Maple. N 9 Spin
 and Gum.

East On a line from between Sec 5 & 8. T. 13. N. R. 6 W.
 6.80 To a Beech. 14 in diam. in the line.
 40.00 Set a stump 7th sap post.
 78.74 To a W Oak. 30 in diam. in the line.
 80.00 Enter at the N 13 line at the post cor of cor. 4, 5, 8 & 9.

West On a line from between Sec 5 & 8. T. 13. N. R. 6 W.
 40.00 Set for stump 7th sap post at the arch in the line from
 which a Gum. 12 in diam. bears S 8 E. 35 the arch; & a
 Poplar. 30 " " " N 17 W 9 " "
 80.00 To the post cor of cor. 5, 6, 7, & 8. April 22nd 1814
 Sand barbed Irons Oak, Beech, & Gum.

West Between Sec 6 & 7. T. 13. N. R. 6 W.
 1.85 To a Gum. 24 in diam. stands in the line.
 19.00 To a W Oak 30 " " "
 28.60 To a Beech 4 the arch, Course S. W.
 30.00 To a Poplar 30 in diam. in the line.
 40.00 Set a 7th sap post from which a
 Beech. 14 in diam. bears S 17 W. 22 the arch; & a
 Do. 10 " " " N 43 E. 29 " "
 56.70 To a Poplar 30 in diam. in the line
 73.70 Enter at the West Boundary and set a post for the cor of
 Sec. 6, & 7 from which a
 Beech 14 in diam. bears N 57 E. 20 the arch; & a

2/5


T. N. 13. R. N. 672nd (Mm. Ind.)

Sept 12 in dist. from S37W. 17 the dist:
Land and out; Timber Bush, Poplar, Sugar,
Undergrowth Spruce.

<p>Anth 360 18.70 110.00 55.70 74.60. 82.64</p>	<p>Returned Sec 5 & 6. T. 13. R. 67W To a Bush. 12 in dist. in the line. " " Poplar. 30 " " " " Set up support from which a Bush. 12 in dist. from. N24E. 19 links out; to S. Gum. 10 " " " S 12 E. 40 " " To a W Oak. 30 in dist. in the line. " Interest the N. 30th and set apart for the use of Sec. 5 & 6. from which a Bush. 18 in dist. from. S41W. 18 the dist; to a " " " " " " " " " " Land and out; Timber Oak Bush, Maple, Gum, & N. 8. Maple Gum Spruce. South of the Indian Boundary line surveyed by John M. Donald. D. North of the Indian Boundary line surveyed by William Polke. D.</p>
---	---

I certify that the foregoing transcript of the field
notes of Township N. 13. North of Range N. 6 West
of the 2nd Principal Meridian, in Indiana has been
compared with the Original notes in this Office and found
to be correct.

Surveyor General's Office
Cincinnati, July 26 1841


Sur. General